

Boomlift / Manlift

Used Boom Lift Rialto - The boom lift is one of the most popular kinds of aerial machinery. Also referred to as elevating work platforms, aerial devices, cherry pickers, mobile elevating work platforms and aerial work platforms, boom lifts are capable of completing jobs at higher elevations easily and efficiently. There are many places to find boom lifts at work including warehouses, contractors, various companies and in retail stores. Keeping workers safe as they access conditions in a higher altitude is priceless. There are numerous models of boom lifts available in the industry. Many models are capable of being operated by a single individual. This equipment became popular in the orchard industry to harvest fruit without having to climb a ladder and balance heavy baskets or pails. It can be difficult to secure a ladder on farmland or in orchard settings. Relying on a boom lift is an easier and safer way to reach tree tops. Gaining Access Over Obstacles Certain boom lifts are designed to move up and over items. This makes working over obstacles possible. Boom lifts can reach items even when it is impossible to move the machine right underneath the area you are working in, making it possible to fix overhead cables within telephone line and pole installation, window cleaning applications and similar circumstances. The articulated boom lift is an example that has numerous joints enabling it to bend over or under items. The articulated boom sections can move independently to grant operators access to many locations. Famous for their tight turning radius, articulated booms offer an ideal solution for narrow hallways and storage facilities. The dual-fuel boom lifts provide service in both exterior and interior locations. Diesel models are used outside while electric boom lifts are implemented in interior locations. Articulating Boom Lifts Popular for maintenance jobs and construction, articulating boom lifts are a useful piece of material handling equipment. They provide a vital piece to the fleet for servicing power lines and overhead wires. Firefighters even rely on them and some models feature water cannons. Some models are built for extended reach applications and outfitted with telescoping sections. Some articulating boom lift models have an extra jib to enable their platform to reach six feet further in any direction. Since these machines commonly work on steep ground and rough terrain, they resemble "spiders" with their long legs, and often go by that nickname on the job site. Smaller units called interior articulating boom lifts are capable of fitting through doorways, making them valuable in retail, warehousing and storage facilities. Electric boom lifts are common for interior jobs due to their quieter options and lack of unhealthy carbon monoxide exhaust. Telescopic Boom Lifts Articulating boom lifts and telescopic boom lifts move differently from each other. These models extend upwards and outwards, relying on hydraulics that extend and retract. The worker who is in the platform has the controls to extend the lift and is able to operate without a second worker. Certain larger and taller models feature a jib located close to the top similar to an articulating boom lift model. There are models on the market capable of reaching over 180 feet. This equipment has been designed to be reliable and stable, with certain models capable of reaching their extended height in less than a minute. There are dual-fuel and diesel models available. Weight range capacities vary from 500 lbs. to 1000 lbs. and speed is adjustable. With 4WD options and their capacity to travel through small spaces, boom lifts are used in a variety of industries. Telescopic boom lifts are your best choice for combining reach and height. Jib Certain boom lift models have a jib or an extension located between the platform and the end of the main boom. This design facilitates an extra hinge or articulation point to enable the platform to move up and down or horizontally. Jibs are available on telescopic boom lifts and articulating boom lifts. Articulating boom lifts have a joint found approximately halfway between the platform and the wheels to allow it to reach over obstacles. The operator can lower the machine again afterward if required. Genie Articulating Boom Lifts The Genie Z-boom model is a common kind of articulating boom lift that can be found on the market. Designed to provide the most versatility in difficult to access spaces, this model has the capacity to lift up, over and out with superior positioning. In 1985, the first Genie Z-30/20 articulating Z-boom was introduced; their up-and-over capacity make them instantly popular

and this design continues today. Proper Safety Measures Of course, safety is the highest priority when operating any type of boom lift. All known safety hazards must be known to anyone working within the vicinity. Safely operating the equipment is a top priority for the operator and everyone in the working environment. Before starting the boom lift, it is paramount that the proper safety gear and communication is in place. Ensure there are no flammable or combustible items, open flame or lit cigarettes near the machine, engine fuels or battery gases. For the ultimate safety, it is important to have a visible, safely mounted and accessible fire extinguisher within the operators reach. Keep work surfaces and charging stations clean and free from clutter or tools that could puncture the tires or damage the machine or its components. Daily Maintenance It is important to conduct a visual inspection prior to operating and to consult the maintenance manual to ensure everything is up to date. These industrial machines rely on lifting and supportive mechanisms to stabilize the weight. Straps, fasteners and chains need to be checked they are in good condition. Single-use fasteners and components must not be reused as they may fail and become extremely dangerous. It is vital to discard oils and solvents safely and efficiently to prevent contaminating the environment. Adequate ventilation and lighting are essential in garages, workshops and along workbenches. Maintenance is broad and typically categorized into subsections including Quarterly Maintenance, Annual Maintenance, Commissioning and Programmed Maintenance Intervals. Maintenance Inspection Report Key components of the boom lift are divided up to categorize the inspection process. Common maintenance categories include Control and Function, Turntable, Booms, Platform, Drive Chassis and Engine. Improperly conducting maintenance can lead to unsafe working conditions, damaged components, reduced performance and ultimately downtime. The maintenance inspection report extend the performance and service life of the machine and needs to be accurately maintained to ensure the machine is safe to run and that the machine is capable of performing properly. The term commissioning refers to a list of single maintenance procedures that need to be completed at 50- and 150-hour intervals to keep the machine optimally running. There is quarterly and annual maintenance protocol that is conducted once or many times during the year. Maintenance procedures are based on the operating hours of the boom lift and programmed maintenance may be conducted during pre-delivery machine preparation. Consult your maintenance manual prior to operating to ensure all oil changes, battery life and fluid levels are primed for success.